

Last modification 2022-09-27

BLISS 60XL.R-3C
9329501050187



Overview

Family name	Bliss
Categories	Oysters
Mounting	Surface
This item includes	RF Remote
Switch	Remote Control (included)
Usage	Indoor Lighting,Trade Selection

Color / Material

Fixture Color	Opaline
Fixture Material	Metal,Polycarbonate
Canopy Color	White
Diffuser Material	Polycarbonate
Diffuser Color	Opal

Size

Fixture Diameter (cm)	60.0
Fixture Height (cm)	11.7
Fixture Projection (cm)	11.7
Canopy Diameter (cm)	55.3
Canopy Projection (cm)	1.0

Specification

Voltage Input	240V
Wattage (max)	50
Globe Type	LED integrated SMD
Globe / Light Source qty	1
Globe / Light Source included	Yes
Lumens	4200
Color Temperature	Warm White; Natural White; Cool White
Color Kelvin	3 CCT (3000k - 4000k - 5500k)
Color Rendering	>84
Dimmable	Yes - Remote Control RF

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Power Factor	>0.90
Surge Protection	Yes (1.5 Kva)
Beam Angle (degree)	180
Current Output	1000
Electrical Protection	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
IP rating	IP20
Lead and Plug	No
Approvals	RCM
Assembly Required	No
Box Contents	Basic mounting screws,Instruction
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners,Wipe clean with a dry cloth
Warranty	*3 Years

Barcode

GTIN 9329501050187

Image -dimensions



