





ECOSTAR S9048SM - 12W

Surface mount dimmable 12 watt LED downlight

Application

Ideal for any residential or commercial interior space

Design Specifications

- Precise pressed metal surface mount profile
- Stylish white powder coat finish
- S9048 LED downlight kit included
- Integral constant current trailing edge dimmable LED driver
- 55 degree beam distribution

Performance

Dimmable - YES

Dimmer Type - Trailing edge, optional 1-10V, DALI / DSI



















Technical Specification

Model No.	Input Voltage (V/AC)	Power (W)	Lumens (lm)	CCT (K)	Beam Angle (°)	Dimmable
S9048SM/C WW WH	240	12	750	3000	55	YES
S9048SM/C DL WH	240	12	800	5000	55	YES

Technical Specification

Model No.	CRI	Body Colour	Diameter (mm)	Dim (mm)
S9048SM/C WW WH	80	WHITE	152	152(W) x 145(H)
S9048SM/C DL WH	80	WHITE	152	152(W) x 145(H)


Dimming options: 1-10V analogue, DALI, DSI

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with SAL Terms and Conditions of sale and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".





Dimensions



Ø 152 mm





Photometric Data

Unit: cd C0/C180_____ C90/C270____

\$9046SM/C WW at 3000K

