



SPOT II STR3/4863TC - 4W


4 watt GU10 three circuit LED rotatable track light, with selectable colour temperature lamp

Application

Designed for decorative residential and retail applications

Design Specifications

- Aluminium profile, 350 degree horizontal rotation, 120 degree vertical rotation
- Quality white or black powder coated finish
- GU10 lamp base
- GU10L350TC selectable colour temperature lamp, 3000K/4000K/6000K lamp included, beam distribution 50°
- SAL lamp options; GU10L550TC, GU10LR750, GU10LA750 (trailing edge dimmable)



- THREE CIRCUIT
- IP20
- Ra25
-
- 1 YEAR COMMERCIAL WARRANTY
- 3 YEAR RESIDENTIAL WARRANTY
- WARM WHITE 3000K
- COOL WHITE 4000K
- DAYLIGHT 6000K


Technical Specification

Model No.	Input Voltage (V/AC)	Power (W)	Lumens (lm)	CCT (K)	Body Colour	CRI
STR3/4863TC/WH	240	4	360/400/380	3000/4000/6000	WHITE	80
STR3/4863TC/BK	240	4	360/400/380	3000/4000/6000	BLACK	80

Model No.	Beam Angle (°)	Dimmable
STR3/4863TC/WH	50	OPTIONAL
STR3/4863TC/BK	50	OPTIONAL

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".


Dimensions



Photometric Data

Unit: cd C0/C180 — C90/C270 —


STR3/4863GU at 3000K



WHO NEEDS AN OLD TIMER CONTROL.

PIXIE SMART GPO IS SMARTER THAN THE REST.

MULTIFUNCTION
CONTROL



For more
information
please
scan me

